



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.widp.org | Verdict: **Non-compliant**

This audit evaluates the adherence level of **www.widp.org** as of Wed Dec 21 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	No	0	9	-

Code snapshots of some failed elements

```
<a href="#" id="top-search-trigger" ><i class="fa fa-search"></i><i class="fa fa-times"></i></a>
```

```
<div id="slider-arrow-left" style="opacity: 1.1713;" ><i class="fa fa-angle-left"></i></div>
```

```
<div id="slider-arrow-right" style="opacity: 1.1713;" ><i class="fa fa-angle-right"></i></div>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" ></span>
```

```
<span class="swiper-pagination-bullet" ></span>
```

```
<a href="#" data-scrollto="#content" data-offset="100" class="dark one-page-arrow" ><i class="fa fa-angle-down infinite animated fadeInDown"></i></a>
```

```
<a target="_blank" href="#" class="social-icon si-colored si-instagram" ><i class="fa fa-instagram"></i> <i class="fa fa-instagram"></i> </a>
```

```
<a target="_blank" href="#" class="social-icon si-colored si-twitter" > <i class="fa fa-twitter"></i> <i class="fa fa-twitter"></i> </a>
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	No	0	9	-
---	---	----	---	---	---

```
<a href="#" id="top-search-trigger" ><i class="fa fa-search"></i><i class="fa fa-times"></i></a>
```

```
<div id="slider-arrow-left" style="opacity: 1.1713;" ><i class="fa fa-angle-left"></i></div>
```

```
<div id="slider-arrow-right" style="opacity: 1.1713;" ><i class="fa fa-angle-right"></i></div>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" ></span>
```

```
<span class="swiper-pagination-bullet" ></span>
```

```
<a href="#" data-scrollto="#content" data-offset="100" class="dark one-page-arrow" ><i class="fa fa-angle-down infinite animated fadeInDown"></i></a>
```

```
<a target="_blank" href="#" class="social-icon si-colored si-instagram" ><i class="fa fa-instagram"></i> <i class="fa fa-instagram"></i> </a>
```

```
<a target="_blank" href="#" class="social-icon si-colored si-twitter" > <i class="fa fa-twitter"></i> <i class="fa fa-twitter"></i> </a>
```

-
- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

23

2

92%

Code snapshots of some successful elements

```
<a href="https://www.widp.org/" class="standard-logo" data-dark-logo="https://www.widp.org/application/files/9915/5632/4517/Worley_Logo-03.jpg" ><div>Home</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/products" target="_self" class="nav-item-629" ><div>Products</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/about-dr-john-worley" target="_self" class="nav-item-632" ><div>Dr. John</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/testimonials" target="_self" class="nav-item-653" ><div>What clients say</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/help" target="_self" class="nav-item-680" ><div>Tutorials</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/cart" target="_self" class="nav-item-626" ><div>Cart</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/contact-us" target="_self" class="nav-item-631" ><div>Contact Us</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/register" target="_self" class="nav-item-765" ><div>Register</div><span>&nbsp;</span></a>
```

```
<a href="https://www.widp.org/loginlogout" target="_self" class="nav-item-677" ><div>Login/Logout</div><span>&nbsp;</span></a>
```

Code snapshots of some failed elements

```
<a target="_blank" href="https://www.facebook.com/worleyid/" class="social-icon si-colored si-facebook" > <i class="fa fa-facebook"></i> <i class="fa fa-facebook"></i> </a>
```

```
<a target="_blank" href="https://www.linkedin.com/in/john-w-worley-ph-d-a5a40a1a7/" class="social-icon si-colored si-linkedin" > <i class="fa fa-linkedin"></i> <i class="fa fa-linkedin"></i> </a>
```

...which should either have an `aria-label` attribute or a screen-reader only element

explaining to screen-readers that this opens in a new tab.

Code snapshots of some failed elements

```
<a target="_blank" href="https://www.facebook.com/worleyid/" class="social-icon si-colored si-facebook" > <i class="fa fa-facebook"></i> <i class="fa fa-facebook"></i> </a>
```

```
<a target="_blank" href="https://www.linkedin.com/in/john-w-worley-ph-d-a5a40a1a7/" class="social-icon si-colored si-linkedin" > <i class="fa fa-linkedin"></i> <i class="fa fa-linkedin"></i> </a>
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	Fail	-	-
---	--	----	------	---	---

Code snapshots of some failed elements

```
<h1 style="text-align: center;"><strong><span style="color:#16a085;">Invest in Yourself!</span></strong></h1>
```

```
<h1 style="text-align: center;"><u><span style="color:#c0392b;"><b>Become Temperament Certified</b></span></u></h1>
```

```
<h1 style="text-align: center;"><strong><a href="https://www.widp.org/register" ><span style="color:#ffffff;"><span style="background-color:#0033ff;">REGISTER HERE</span></span></a></strong></h1>
```

```
<h1 style="text-align: center;"><span style="color:#c0392b;"><b>Personal&nbsp;nbsp;or Associate 5 hrs Affiliate 10 hrs</b></span></h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	15	0	100%
---	---	-----	----	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	
---	--	----	---	---	--

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	Fail	-	-
---	--	----	------	---	---

Code snapshots of some failed elements

```
<h3></h3>
```

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	No	0	5	-
---	---	----	---	---	---

Code snapshots of some failed elements

```
<div id="slider-arrow-left" style="opacity: 1.1713;" ><i class="fa fa-angle-left"></i></div>
```

```
<div id="slider-arrow-right" style="opacity: 1.1713;" ><i class="fa fa-angle-right"></i></div>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" ></span>
```

```
<span class="swiper-pagination-bullet" ></span>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	Fail	-	-
----	---	----	------	---	---

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	NO	U	U	
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	No	Fail	-	-
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	1	1	50%

Code snapshots of some successful elements

```
<nav class="ccm-responsive-navigation original " id="primary-menu" data-aria="Header Navigation" data-block="autonav" data-template="pixel_main_menu"><ul class="sf-js-enabled" style="touch-action: pan-y;" ><li class="nav-selected current nav-path-sel...
```

Code snapshots of some failed elements

```
<ul ><li class="nav-selected nav-path-selected"><a href="https://www.widp.org/" target="_self" class="nav-selected nav-path-selected" >Home</a></li><li ><a href="https://www.widp.org/products" target="_self" >Products</a></li><li ><a href="https://w...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	1	1	50%

Code snapshots of some successful elements

```

```

Code snapshots of some failed elements

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being	Yes	10	16	38%

content should include a "role" attribute that equals to "presentation" or "none".

Code snapshots of some successful elements

```
<span >&nbsp;</span>
```

```
<i ></i>
```

Code snapshots of some failed elements

```
<i class="fa fa-reorder"></i>
```

```
<i class="fa fa-search"></i>
```

```
<i class="fa fa-times" ></i>
```

```
<i class="fa fa-angle-left"></i>
```

```
<i class="fa fa-angle-right"></i>
```

```
<i class="fa fa-angle-down infinite animated fadeInDown"></i>
```

```
<i class="fa fa-circle"></i>
```

```
<i class="fa fa-facebook"></i>
```

```
<i class="fa fa-facebook" ></i>
```

```
<i class="fa fa-instagram"></i>
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	Fail	-	-

Code snapshots of some failed elements

```
<input name="query" type="text" value="" class="form-control" placeholder="Search Website">
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby	No	0	0	-

an "aria-label" attribute.

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<title>Worley's ID Profile - Temperament Assessment Suite</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<html dir="ltr" lang="en"><head><base href="https://www.widp.org"><meta name="aceWebsite" content="www.widp.org"><meta name="aceClient" content="false"><meta name="aceEmbedder" content="https://acsbase.com"><meta name="acsbAceBase" content="https://w...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale=2 or	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	2	1	67%
----	---	-----	---	---	-----

Code snapshots of some successful elements

```
<footer id="footer" class="dark"><div class="container"><div class="footer-widgets-wrap clearfix"><div class="col_two_third"><div class="col_one_third"><div class="widget clearfix"><h1 style="text-align: center;"><strong><span style="color:#16a085;">Invest in Yourself!</span></strong></h1> <h1 style="text-align: center;"><u><span style="color:#c0392b;"><b>Become Temperament Certified</b></span></u></h1> <...</div>
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a	Yes	28	21	57%
----	--	-----	----	----	-----

background color.

Code snapshots of some successful elements

```
<div class="pure-cookies-notice-title">Cookies</div>
```

```
<p>This site uses cookies to track your login, manage purchases and manage your data throughout.&nbsp; By using this site, you agree to allowing the use of these cookies.</p>
```

```
<div class="pure-cookies-notice-close-button">Ok</div>
```

```
<h2 class="fadeInUp animated" data-caption-animate="fadeInUp">Discover Your Temperament – Who You REALLY Are! The Extraordinary You!</h2>
```

```
<b>Become Temperament Certified</b>
```

```
<span style="background-color:#0033ff;">REGISTER HERE</span>
```

```
<strong>&nbsp;1. Every person's&nbsp;<span style="color:#2980b9;">Character, Personality, and Behavior</span><u> <span style="color:#c0392b;">will&nbsp;&nbsp;change</span></u> in the blink of an eye!</strong>
```

```
<span style="color:#c0392b;">will&nbsp;&nbsp;change</span>
```

```
<strong>2. Their&nbsp;<span style="color:#2980b9;">TEMPERAMENT,</span>&nbsp;&nbsp;sp;determined at conception,&nbsp;<span style="color:#c0392b;"><u>NEVER&nbsp;&nbsp;bsp;changes</u>!</span></strong>
```

```
<span style="color:#c0392b;"><u>NEVER&nbsp;&nbsp;changes</u>!</span>
```

Code snapshots of some failed elements

```
<div>Home</div>
```

```
<div>Products</div>
```

```
<div>Dr. John</div>
```

```
<div>What clients say</div>
```

```
<div>Tutorials</div>
```

```
<div>Cart</div>
```

```
<div>Contact Us</div>
```

```
<div>Register</div>
```

```
<span>View Example Profile</span>
```

```
<span style="color:#16a085;">Invest in Yourself!</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-

small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.

Code snapshots of some failed elements

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" >
</span>
```

```
<span class="swiper-pagination-bullet" ></span>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually	No	0	0	-

or a screen-reader only texts conveying the score/rate.

48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
----	---	----	---	---	---

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
----	---	----	---	---	---