



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For onyx916.com | Verdict: **Compliant!**

This audit evaluates the adherence level of **onyx916.com** as of Thu Feb 09 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	5	0	100%

### Code snapshots of some successful elements

```
<button class="hamburger-component header__hamburger " role="button"> Men
u <svg width="24" height="18" viewBox="0 0 24 18" fill="none" xmlns="htt
p://www.w3.org/2000/svg" aria-hidden="true" style=";background-color:#fff
fff!import...
```

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls
="slick-slide00" aria-label="1 of 1" aria-selected="true" class=" " data-
acsb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Ne
xt carousel slide </span>1<...
```

```
<a role="button" data-type="CONTACT_US" class="lp-btn lp-btn--dark lp-btn
--outline button-style-3 " tabindex="0" style=";background-color:#ffffff!
important;color:#000000!important;"> Contact Us </a>
```

```
<button class="lp-btn lp-btn--dark lp-btn--outline footer-subscribe__subm
it button-style-1 " type="submit" style=";background-color:#ffffff!import
ant;color:#000000!important;" role="button"> <span class="sync-icon" aria
-hidden="true"...
```

```
<button data-type="CONTACT_US" class="footer-navigation__link " type="but
ton" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true">Con
tact Us</button>
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	5	0	100%
---	---	-----	---	---	------

### Code snapshots of some successful elements

```
<button class="hamburger-component header__hamburger " role="button"> Men  
u <svg width="24" height="18" viewBox="0 0 24 18" fill="none" xmlns="htt  
p://www.w3.org/2000/svg" aria-hidden="true" style=";background-color:#fff  
fff!import...
```

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls  
="slick-slide00" aria-label="1 of 1" aria-selected="true" class=" " data-  
acsb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Ne  
xt carousel slide </span>1<...
```

```
<a role="button" data-type="CONTACT_US" class="lp-btn lp-btn--dark lp-btn  
--outline button-style-3 " tabindex="0" style=";background-color:#ffffff!  
important;color:#000000!important;"> Contact Us </a>
```

```
<button class="lp-btn lp-btn--dark lp-btn--outline footer-subscribe__subm  
it button-style-1 " type="submit" style=";background-color:#ffffff!import  
ant;color:#000000!important;" role="button"> <span class="sync-icon" aria  
-hidden="true"...
```

```
<button data-type="CONTACT_US" class="footer-navigation__link " type="but  
ton" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true">Con  
tact Us</button>
```

- 
- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

31

0

100%

### Code snapshots of some successful elements

```
<a href="/" class="logo" > <span data-="true" " aria-hidden="false" > Hom  
e </span> Search All Homes ...
```

```
<a href="/home-valuation" class="lp-btn lp-btn--light lp-btn--filled lp-b
tn--mob-full-width button-style-3 " style=";background-color:#ffffff!impo
rtant;color:#000000!important;"> Home Valuation Tool ...
```

```
<a href="/about-us" class="lp-btn lp-btn--dark lp-btn--outline lp-btn--bi
g lp-btn--mob-full-width button-style-1 " style=";background-color:#fffff
f!important;color:#000000!important;"> About Us ...
```

```
<a href="/selling" class="lp-btn lp-btn--dark lp-btn--outline lp-btn--big
lp-btn--mob-full-width button-style-1 " style=";background-color:#ffffff!
important;color:#000000!important;"> Seller Experience ...
```

```
<a href="/buying" class="lp-btn lp-btn--dark lp-btn--filled lp-btn--big l
p-btn--mob-full-width button-style-4 " style=";background-color:#ffffff!i
mportant;color:#000000!important;"> Buyer Experience ...
```

```
<a href="/testimonials" class="lp-btn lp-btn--dark lp-btn--outline button
-style-3 " style=";background-color:#ffffff!important;color:#000000!impor
tant;" > View All <span data-="true" " aria-hidden="false" >...
```

```
<a href="/neighborhoods/folsom" class="item-wrapper" > <div class="image-
holder acsb-bg-image" style="background-image: url('https://res.cloudinar
y.com/luxuryp/images/f_auto,q_auto/upeou1yeonyflmof9yqj/j_community_folso
m-1')" data-ac...
```

```
<a href="/neighborhoods/el-dorado-hills" class="item-wrapper" > <div clas
s="image-holder acsb-bg-image" style="background-image: url('https://res.
cloudinary.com/luxuryp/images/f_auto,q_auto/qfog0hsu4eisrlzoznz0/j_commun
ity_eldoradohil...
```

```
<a href="/neighborhoods/west-sacramento" class="item-wrapper" > <div clas
s="image-holder acsb-bg-image" style="background-image: url('https://res.
cloudinary.com/luxuryp/images/f_auto,q_auto/qwlx64xak4dgns11fclh/j_commun
ity_westsacrame...
```

- 
- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

7

0

100%

```
<a href="https://www.facebook.com/darya916" class="lp-socials__link socials__item " data-wow-delay=".0s" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a href="https://www.instagram.com/darya_at_onyx/" class="lp-socials__link socials__item " data-wow-delay=".1s" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a href="https://www.linkedin.com/in/darya916/" class="lp-socials__link socials__item " data-wow-delay=".2s" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a href="https://www.youtube.com/channel/UCI4Vvdbebqb50CEEI106qXg" class="lp-socials__link socials__item " data-wow-delay=".3s" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a href="https://www.tiktok.com/@daryaatonyx" class="lp-socials__link socials__item " data-wow-delay=".4s" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a href="https://www.zillow.com/profile/Darya%20Ghomeshi" class="lp-socials__link socials__item " data-wow-delay=".5s" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a href="https://www.luxurypresence.com/" target="_blank" data-acsb-tooltip="New Window" ><span data-="true" " aria-hidden="false" > New Window </span>Luxury Presence</a>
```

- 
- 5 [An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.](#)

Yes

Pass

-

100%

**Code snapshots of some successful elements**

# Real Advisors ~ Revolutionary Experience

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	34	0	100%
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard	Yes	Pass	-	100%

landmarks such as main content, menu or footer.

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<ul class="footer-navigation" data-acsb-menu="ul" role="navigation" aria-label="Footer Menu" > <li class="footer-navigation__item" data-acsb-menu="li" data-acsb-menu-root="true"> <a href="/" class="footer-navigation__link" ...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-

description that describes both the objects

and the embedded text that the image contains, using the "alt" attribute.

### Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

```

```

---

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
----	---	----	---	---	---



20 Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".

Yes

38

0

100%

### Code snapshots of some successful elements

```
<svg width="24" height="18" viewBox="0 0 24 18" fill="none" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-force-hidden="true" > <rect class="line line-...
```

```
<svg width="24" height="24" viewBox="0 0 24 24" fill="none" class="arrow" xmlns="http://www.w3.org/2000/svg" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" > <path...
```

```
<i class="fab fa-facebook-f" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<svg viewBox="0 0 9 9" width="18" height="18" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M7.43.911a.658.658 0 100 1.316.658.658 0 000-1.316M4.5 6.33a1.83 1.83 0 110-3.659 1.83 1.83 0 010 3.659m0-4.648a2.818 2.818 0 10-.001 5.637A2.81...
```

```
<i class="fab fa-linkedin-in" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="fab fa-youtube" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<svg width="16" height="19" viewBox="0 0 16 19" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" > <path d="M11.6466 0C11.9544 2.69633 13.4318 4.30387 16.0...
```

```
<svg width="17" height="19" viewBox="0 0 17 19" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" > <path d="M11.4936 5.03562C11.579 5.01663 11.6169 5.0451 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="26" height="18" fill="none" viewBox="0 0 26 18" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" > <path fill-rule...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="25" height="25" fill="none" viewBox="0 0 25 25" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" > <path d="M24.1 ...
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<input id="__footerEmail" class="lp-input lp-input--dark" name="email" type="email" pattern="[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,10}$" placeholder="Email Address" required="true" aria-hidden="false" data-acsb-validation-uuid="__footerEmai...
```

provide false information.

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	Pass	-	100%

#### Code snapshots of some successful elements

```
<div class="item slick-slide slick-current slick-active" data-slick-index="0" style="width: 930px; position: relative; left: 0px; top: 0px; z-index: 999; opacity: 1;" role="tabpanel" id="slick-slide00" aria-describedby="slick-slide-control00"> ...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

#### Code snapshots of some successful elements

```
<form data-type="contact-form" class="footer-subscribe__form" data-acsb-form-uuid="adez45bozzgl" data-acsb-form-type="standard"> <input id="__footerEmail" class="lp-input lp-input--dark" name="email" type="email" pattern="[a-zA-Z...]
```

30	Search forms should include a "role" tag	No	0	0	-
----	--	----	---	---	---

one) to indicate a search landmark for screen-readers.

---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Code snapshots of some successful elements

```
<title>West Sacramento, El Dorado Hills Homes to Buy & Sell</title>
```

---

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Code snapshots of some successful elements

```
<html lang="en" style="--global-header-height:120px;" id="acsb-light-contrast" class="acsb-light-contrast"><head> <meta charset="utf-8"> <meta http-equiv="x-ua-compatible" content="ie=edge"> <meta name="viewport" content="width=device-wid...
```

---

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

---

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo"	Yes	3	0	100%
----	--	-----	---	---	------

## Code snapshots of some successful elements

```
<div class="lp-title-group" data-acsb-main="true" role="main"> <h1 class="lp-h1 animation " role="heading" aria-level="1">Real Advisors ~ Revolutionary Experience</h1> <p class="lp-text--subtitle lp-pre-line ">Ony...
```

```
<footer id="global-footer" class="is-font-color-dark is-background-color-light " style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"><div class="site-f...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	80	0	100%

## Code snapshots of some successful elements

```
<button class="hamburger-component header__hamburger " role="button"> Menu <svg width="24" height="18" viewBox="0 0 24 18" fill="none" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" style=";background-color:#ffffff!important;...</svg></button>
```

```
<h1 class="lp-h1 animation " role="heading" aria-level="1">Real Advisors ~ Revolutionary Experience</h1>
```

```
<p class="lp-text--subtitle lp-pre-line ">Onyx Real Estate</p>
```

```
<a href="/home-search/listings" class="lp-btn lp-btn--dark lp-btn--filled lp-btn--mob-full-width button-style-3 " style=";background-color:#ffffff!important;color:#000000!important;"> Search All Homes ...
```

```
<a href="/home-valuation" class="lp-btn lp-btn--light lp-btn--filled lp-btn--mob-full-width button-style-3 " style=";background-color:#ffffff!important;color:#000000!important;"> Home Valuation Tool ...
```

```
<h4 style="text-align: center;" role="heading" aria-level="4">White Glove Experience</h4>
```

```
<h4 style="text-align: center;" role="heading" aria-level="4">World Class Services</h4>
```

```
<h4 style="text-align: center;" role="heading" aria-level="4">Trusted Knowledge</h4>
```

```
<h4 style="text-align: center;" role="heading" aria-level="4">State of The Art Marketing</h4>
```

```
<strong >It's Wonderful to Meet You</strong>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will	No	0	0	-

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	Pass	-	100%
----	---	-----	------	---	------

### Code snapshots of some successful elements

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls="slick-slide00" aria-label="1 of 1" aria-selected="true" class="" data-acsb-carousel-paging="true"><span data-="" aria-hidden="false" > Next carousel slide </span>></button>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
----	--	----	---	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
----	--	----	---	---	---

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
----	--	----	---	---	---

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality.	No	0	0	-
----	--	----	---	---	---

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<iframe id="onetap_google_intermediate_iframe" src="https://bss.luxurypresence.com/buttons/googleOneTap?companyId=97706e4e-7fd1-47bf-9a4d-c3b402939ca6&websiteId=3b77307e-2c80-4148-bb9c-3b9a18befc00&pageId=fd160acc-2704-4383-9562-29665f7ef155&..."
```