



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.permanentmakeupbyrozita.net | Verdict: **Non-compliant**

This audit evaluates the adherence level of www.permanentmakeupbyrozita.net as of Mon Oct 23 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	1	12	8%

Successful Elements

```
<button size="15" class="ButtonBase__ButtonContainer-sc-p43e7i-3 euBiGU es-header-write-review-button" type="button" tabindex="0" style="border-radius: 4px; border-color: rgba(0, 0, 0, 0); color: rgb(255, 255, 255); font-family: inherit; font-weight:...
```

Failed Elements

```
<div class="w-navpane-trigger hamburger" > <span></span> </div>
```

```
<a href="#" class="wsite-search-button" ></a>
```

```
<span class="wsite-search-button" ><span class="wsite-search-button-inner"></span></span>
```

```
<a >  </a>
```

```
<a >  </a>
```

```
<a >  </a>
```

```
<div class="ReviewText__Control-sc-1lvcnpr-2 fRxPfg es-review-content-control es-review-content-control-open" tabindex="0" >Read more</div>
```

```
<a >  </a>
```

```
<a href="#" target="blank" >Spantown Media</a>
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

10

3

77%

Successful Elements

```
<a >  </a>
```

```
<a >  </a>
```

```
<a >  </a>
```

```
<button size="15" class="ButtonBase__ButtonContainer-sc-p43e7i-3 euBiGU es-header-write-review-button" type="button" tabindex="0" style="border-radius: 4px; border-color: rgba(0, 0, 0, 0); color: rgb(255, 255, 255); font-family: inherit; font-weight:...
```

```
<div class="ReviewText__Control-sc-1lvcnpr-2 fRxPfg es-review-content-control es-review-content-control-open" tabindex="0" >Read more</div>
```

```
<a >  </a>
```

```
<a href="" target="_blank" >Snaptown Media</a>
```

Failed Elements

```
<div class="w-navpane-trigger hamburger" > <span></span> </div>
```

```
<a href="#" class="wsite-search-button" ></a>
```

```
<span class="wsite-search-button" ><span class="wsite-search-button-inner"></span></span>
```

3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

33

0

100%

Successful Elements

```
<a href="/" class="wsite-menu-item " > Home </a>
```

```
<a href="/about.html" class="wsite-menu-item " > About </a>
```

```
<a href="/services.html" class="wsite-menu-item " > Services </a>
```

```
<a href="/gallery.html" class="wsite-menu-item " > Gallery </a>
```

```
<a href="/meet-rozita.html" class="wsite-menu-item " > Meet Rozita </a>
```

```
<a href="/faq.html" class="wsite-menu-item " > FAQ </a>
```

```
<a href="/contact.html" class="wsite-menu-item " > Contact </a>
```

```
<a href="/about.html" >  </a>
```

```
<a href="/meet-rozita.html" >  </a>
```

```
<a href="/services.html" >  </a>
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element

Yes

6

2

50%

Successful Elements

```
<a class="ReviewLinkContainer__Link-sc-1v4k9l9-0 eGiiJN es-review-link-container ReviewAuthorBlock__AvatarLink-sc-13pso0w-2 hCDqLO es-review-author-block-avatar-link" aria-label="View on Google" href="https://www.google.com/maps/reviews/data=!4m8!14m..."
```

```
<a class="ReviewLinkContainer__Link-sc-1v4k9l9-0 eGiiJN es-review-link-container ReviewAuthorName__Container-sc-1x5037n-0 kaANqX es-review-author-name-container ReviewAuthorBlock__StyledAuthorName-sc-13pso0w-0 cyHNSN" aria-label="View on Google" href..."
```

Failed Elements

```
<a class="ReviewLinkContainer__Link-sc-1v4k9l9-0 eGiiJN es-review-link-container ReviewSource__SourceBottomContainer-sc-14gktmv-6 hGKziR es-review-source-source-bottom-container Classic__StyledSource-sc-fc18im-1 cAfqdd" aria-label="View on Google" href..."
```

```
<a class="ReviewLinkContainer__Link-sc-1v4k9l9-0 eGiiJN es-review-link-container ReviewAuthorName__Container-sc-1x5037n-0 kaANqX es-review-author-name-container ReviewAuthorBlock__StyledAuthorName-sc-13pso0w-0 cyHNSN" aria-label="View on Google" href..."
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	0	0	-
6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	2	0	100%
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	2	-

```
<div class="HeaderTitle__Container-sc-18we3dm-0 hNKTeB es-header-title-container"><div class="Icon__IconContainer-sc-11wrh3u-0 cNvbHF es-source-image HeaderTitle__StyledSourceImage-sc-18we3dm-1 hCZUyA es-header-title-logo google-logo"><div><div><svg ...
```

```
<div class="HeaderTitle__Text-sc-18we3dm-2 gBqUJH es-header-title-text">Rating</div>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	Fail	-	-
---	--	----	------	---	---

Failed Elements

```
<h1></h1>
```

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	3	4	43%
---	---	-----	---	---	-----

Successful Elements

```
<div class="ReviewText__Control-sc-1lvcnpr-2 fRxPfg es-review-content-control es-review-content-control-open" tabindex="0" >Read more</div>
```

Failed Elements

```
<div class="w-navpane-trigger hamburger" > <span></span> </div>
```

```
<div aria-label="Previous" role="button" class="Carousel__CarouselArrowControlContainer-sc-f2ox7y-8 hXrUSE" style="width: 32px; height: 32px; flex-basis: 32px; margin-left: 8px;"></div>
```

```
<div aria-label="Next" role="button" class="Carousel__CarouselArrowControlContainer-sc-f2ox7y-8 jCXFfl" style="width: 32px; height: 32px; flex-basis: 32px; margin-right: 8px;"><div class="ArrowControl__ArrowControlContainer-sc-ps7sz3-0 jeSnNy" style=...
```

```
<div class="ArrowControl__ArrowControlContainer-sc-ps7sz3-0 jeSnNy" style="width: 32px; height: 32px; background-color: rgba(17, 17, 17, 0.5); fill: rgb(255, 255, 255); box-shadow: rgba(0, 0, 0, 0.3) 0px 4px 12px 0px;"><div class="Icon__IconContaine...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	No	Fail	-	-
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when	No	0	0	-

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	-
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	3	10	23%

Successful Elements

```
<img src="https://lh3.googleusercontent.com/a-/ALV-UjWyGfKXjwIQUjeIrpybD2iNCQ-CJu4GFAYfG5eZ4SjmDw=s40-c-rp-mo-br100" srcset="https://lh3.googleusercontent.com/a-/ALV-UjWyGfKXjwIQUjeIrpybD2iNCQ-CJu4GFAYfG5eZ4SjmDw=s80-c-rp-mo-br100 2x" alt="Lisa Benfo..."
```

```
<img src="https://lh3.googleusercontent.com/a-/ALV-UjVzNsbOD6djcZ4Dkun4VzYyEmi89TW_qC2Hz2AJV7Cn6Iw=s40-c-rp-mo-ba2-br100" srcset="https://lh3.googleusercontent.com/a-/ALV-UjVzNsbOD6djcZ4Dkun4VzYyEmi89TW_qC2Hz2AJV7Cn6Iw=s80-c-rp-mo-ba2-br100 2x" alt="..."
```

```
<img src="https://lh3.googleusercontent.com/a-/ALV-UjVmtr-9VsdAEXGj5pi4QumcJxZ8nz_zRAE791xFYmIrJsw=s40-c-rp-mo-br100" srcset="https://lh3.googleusercontent.com/a-/ALV-UjVmtr-9VsdAEXGj5pi4QumcJxZ8nz_zRAE791xFYmIrJsw=s80-c-rp-mo-br100 2x" alt="Jacqueli..."
```

Failed Elements


```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	Fail	-	-
----	---	----	------	---	---

Failed Elements

```
<div class="wsite-section wsite-header-section wsite-section-bg-image" style="height: 243px;background-image: url(&quot;/uploads/1/3/0/4/130443642/background-images/223594099.png&quot;);background-repeat: no-repeat ;background-position: 50% 50% ;bac...
```

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	46	14	77%
----	---	-----	----	----	-----

Successful Elements

```
<span class="wsite-search-button-inner" ></span>
```

```
<svg viewBox="0 0 14 14" fill="none" xmlns="http://www.w3.org/2000/svg" >  
<g clip-path="url(#clip0_3796_102578)" ><path d="M6.82617 11.44213.54617  
13.166C3.46353 13.2093 3.3704 13.2287 3.27732 13.2219C3.18425 13.2151 3.0  
9494 13.1824 3.0195 13.1274C2.9...
```

```
<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 24 24" c  
lass="injected-svg" data-src="https://static.elfsight.com/icons/app-all-i  
n-one-reviews-icons-google-multicolor.svg" xmlns:xlink="http://www.w3.or  
g/1999/xlink" ><path fill="#2A84...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 16 16" ><path fill-r  
ule="evenodd" d="M7.04 1.96a1 1 0 0 0-1.497 1.32l.083.094L10.253 8l-4.627  
4.626a1 1 0 0 0-.083 1.32l.083.094a1 1 0 0 0 1.32.084l.094-.084 5.334-5.3  
33a1 1 0 0 0 .083-1.32l-.083-....
```

Failed Elements

```
<span></span>
```

```
<span class="wsite-title-placeholder">&nbsp;</span>
```

```
<span ></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 85 36" class="injected-svg" data-src="https://static.elfsight.com/icons/app-all-in-one-reviews-logos-google-logo-multicolor.svg" xmlns:xlink="http://www.w3.org/1999/xlink" ><g clip-path...
```

```
<svg viewBox="0 0 14 14" fill="none" xmlns="http://www.w3.org/2000/svg" >
<g clip-path="url(#clip0_3796_102578)" ><path d="M6.82617 11.442L3.54617
13.166C3.46353 13.2093 3.3704 13.2287 3.27732 13.2219C3.18425 13.2151 3.0
9494 13.1824 3.0195 13.1274C2.9...
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	Fail	-	-

Failed Elements

```
<input type="text" name="q" class="wsite-search-input" autocomplete="off" placeholder="Search">
```

25	Form elements cannot have the same ID, or else their corresponding label will	No	0	0	-
----	---	----	---	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	-
29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	Fail	-	-

Failed Elements

```
<form id="wsite-header-search-form" action="/apps/search" method="get"> <
input type="text" name="q" class="wsite-search-input" autocomplete="off"
placeholder="Search"><span class="wsite-search-button" ><span class="wsit
e-search-button-inner" ></spa...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	Fail	-	-
----	---	----	------	---	---

Failed Elements

```
<form id="wsite-header-search-form" action="/apps/search" method="get"> <
input type="text" name="q" class="wsite-search-input" autocomplete="off"
placeholder="Search"><span class="wsite-search-button" ><span class="wsit
```

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	No	Fail	-	-
32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%

Successful Elements

```
<html lang="en"><head> <title>Home</title><meta property="og:site_name" content="Permanent Makeup by Rozita"> <meta property="og:title" content="Permanent Makeup by Rozita"> <meta property="og:description" content="Permanent Makeup by Rozita, As a ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0;">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	1	2	33%
----	---	-----	---	---	-----

Failed Elements

```
<div id="header" style="top: 0px;" > <div class="container"> <div class="icons"> <div class="w-navpane-trigger hamburger" > <span></span> </div> </div> <div class="logo"><span class="wsite-logo"> <span class="wsite-title-p...
```

```
<div id="footer"><div class="wsite-elements wsite-footer"> <div><div class="wsite-image wsite-image-border-none " style="padding-top:10px;padding-bottom:10px;margin-left:0px;margin-right:0px;text-align:left"> <a >  Home </a>
```

```
<div class="container">Search by typing & pressing enter<span class="wsite-search"> <form id="wsite-header-search-form" action="/apps/search" method="get"> <input type="text" name="q" class="wsite-search-input" autocomplete="off" placeholder="...
```

```
<h2>YOUR CART</h2>
```

```
<div style="display:block;font-size:90%">ABOUT</div>
```

```
<div style="display:block;font-size:90%">MEET ROZITA</div>
```

```
<div style="display:block;font-size:90%">SERVICES</div>
```

```
<div style="display:block;font-size:90%">FAQs</div>
```

```
<div style="display:block;font-size:90%">GALLERY</div>
```

```
<div style="display:block;font-size:90%">CONTACT</div>
```

```
<span style="color:rgb(34, 34, 34)">At Permanent Makeup by Rozita, I am committed to serve all our clients in an environment that is professional, inspiring, unique, creative and fun.&nbsp; I have years of experience and state-of-the-art amenities to...
```

Failed Elements

```
<a href="/about.html" class="wsite-menu-item " > About </a>
```

```
<a href="/services.html" class="wsite-menu-item " > Services </a>
```

```
<a href="/gallery.html" class="wsite-menu-item " > Gallery </a>
```

```
<a href="/meet-rozita.html" class="wsite-menu-item " > Meet Rozita </a>
```

```
<a href="/faq.html" class="wsite-menu-item " > FAQ </a>
```

```
<a href="/contact.html" class="wsite-menu-item " > Contact </a>
```

```
<div class="paragraph" style="text-align:center;"><span style="color:rgb(34, 34, 34)">At Permanent Makeup by Rozita, I am committed to serve all our clients in an environment that is professional, inspiring, unique, creative and fun.&nbsp; I have yea...
```

```
<div class="HeaderTitle__Text-sc-18we3dm-2 gBqUJH es-header-title-text">R  
ating</div>
```

```
<div class="RatingValue__Container-sc-1trexhk-0 cYjq0G es-rating-value">4.7</div>
```

```
<div class="HeaderTotalReviews__Value-sc-13r1h6v-1 eaYF es-header-total-reviews-value">59</div>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	2	-

Failed Elements


```
<table class="wsite-multicol-table"> <tbody class="wsite-multicol-tbody"
<tr class="wsite-multicol-tr"> <td class="wsite-multicol-col" style="width:9.9378644124292%; padding:0 15px;"> <div class="wsite-spacer" style="height:50...
```

```
<table class="wsite-multicol-table"> <tbody class="wsite-multicol-tbody"
<tr class="wsite-multicol-tr"> <td class="wsite-multicol-col" style="width:33.385012919897%; padding:0 15px;"> <div><div class="wsite-image wsite-image-b...
```

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality.	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design	No	0	0	-

but can help to improve compliance.

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
----	---	----	---	---	---